

FIG. 1

2/9 EN0920010005USI WHS

Calculate BA_FINAL1




FIG. 2

3/9 END9 2001 0005USI WHS

Calculate BA_FINAL2




FIG. 3

4/9 END920010005USI WHS

Example of BA_FINAL1 Calculations. All values shown are at the end of the iteration. Iteration 0 represents the initialization block 10 of FIG. 1.

Iteration	adj_rem_accum	ba_rem_adder	ba_rem_accum	e_adder	BA_FINAL1	
0	0		0			
1	320	0	6	0	878	
2	640	0	12	0	878	
3	960	0	18	0	878	
4	280	1	25	0	878	
5	600	0	1	1	879	
6	920	0	7	0	878	
7	240	1	14	0	878	
8	560	0	20	0	878	
9	880	0	26	0	878	
10	200	1	3	1	879	
11	520	0	9	0	878	

FIG. 4

5/9 END920010005USI WHS

Example of BA_FINAL2 Calculations. All values shown are at the end of the iteration. Iteration 0 represents the initialization block 10 of FIG. 1. Only "YES" iterations are shown.

Iteration	h_adj_rem_accum	h_ba_rem_adder	h_ba_rem_accum	h_adder	BA_FINAL2	
0	0		0			
3	320	0	6	0	439	
4	640	0	12	0	439	
6	960	0	18	0	439	
9	280	1	25	0	439	
10	600	0	31	0	439	
11	920	0	37	0	439	
15	240	1	44	0	439	
18	560	0	50	0	439	
19	880	0	56	0	439	
22	200	1	3	1	440	
23	520	0	9	0	439	

FIG. 5

6/9 END920010005USI WHS




FIG. 6




FIG. 7

8/9 END920010005USIWHS

Example Illustrating the Algorithm of FIG. 7. Numbers followed by an asterisk (*) denote that the accumulator A_1 or A_2 has reached or exceeded its maximum allowed value in the iteration, resulting in incrementing B by 1. Numbers followed by a double asterisk (**) denote that the accumulator B has reached or exceeded its maximum allowed value in the iteration, resulting in incrementing Z_n by 1.

Iter (n)	Q _{ln}	R _{ln}	A_1	Q_{2n}	R _{2n}	A ₂	X _n	Q _n	R _n	В	Zn	Z
0			0			0				0	0	0
1	5	1	3	10	2	2	25	4	1	1	4	4
2	5	1	6	10	2	0 *	25	4	1	3	4	8
3	5	1	9	10	2	2	25	4	1	4	4	12
4	5	1	2 *	10	2	0 *	25	4	1	1 **	5	17
5	5	1	5	10	2	2	25	4	1	2	4	21
Post Processing									21.50			

9/9 END920010005USI WHS




FIG. 9